

環境：

1. WWW Server : 120.107.152.9 (Ubuntu 18.04-1)
2. Backup Server : 120.107.152.7 (NAS: Network Attached Storage)



目標：

定期將 WWW Server 的 Web Pages 備份至 Backup Server

設定：

1. WWW Server

- (a) 於家目錄建立 .netrc 檔

```
machine 120.107.152.7 login xxxxxxxx password *****
```

- (b) 更改 .netrc 的權限

```
$ chmod 600 .netrc
```

- (c) 確定 Backup Server (120.107.152.7) 是否有 xxxxxxxx 這個 account，且密碼亦如 .netrc 內容

- (d) 撰寫 shell script 執行自動 FTP 備份

```
#!/bin/bash
# ftp1
cd /home/tkwu/www
tar zcf ../tkwu-`date +%d`.tar.gz *
ftp -i << backup
open 120.107.152.4
bin
lcd /home/tkwu
cd backup
put tkwu-`date +%d`.tar.gz
quit
backup
```

- (e) 將 (d) 撰寫 shell script 儲存為 auto_ftp，並將其權限改為 700

- (f) 設定 crontab

```
$ crontab -e
```

```
0 4 * * 0 /home/tkwu/auto_ftp
```

<<Basic FTP Commands>>

?	<i>to request help or information about the FTP commands</i>
ascii	<i>to set the mode of file transfer to ASCII (this is the default and transmits seven bits per character)</i>
binary	<i>to set the mode of file transfer to binary (the binary mode transmits all eight bits per byte and thus provides less chance of a transmission error and must be used to transmit files other than ASCII files)</i>
bye	<i>to exit the FTP environment (same as quit)</i>
cd	<i>to change directory on the remote machine</i>
close	<i>to terminate a connection with another computer</i>
delete	<i>to delete (remove) a file in the current remote directory (same as rm in UNIX)</i>
get	<i>to copy one file from the remote machine to the local machine</i>
help	<i>to request a list of all available FTP commands</i>
lcd	<i>to change directory on your local machine (same as UNIX cd)</i>
ls	<i>to list the names of the files in the current remote directory</i>
!ls	<i>to list the names of the files in the current remote directory</i>
mkdir	<i>to make a new directory within the current local directory</i>
mget	<i>to copy multiple files from the remote machine to the local machine; you are prompted for a y/n answer before transferring each file</i>
mput	<i>to copy multiple files from the local machine to the remote machine; you are prompted for a y/n answer before transferring each file</i>
open	<i>to open a connection with another computer</i>
put	<i>to copy one file from the local machine to the remote machine</i>
pwd	<i>to find out the pathname of the current directory on the remote machine</i>
quit	<i>to exit the FTP environment (same as bye)</i>
rmdir	<i>to to remove (delete) a directory in the current remote directory</i>